

351 W Muskegon Drive Greenfield IN 46140 (317) 462-3121

Item 1

# General Certification of Conformity Must be completed in English As required by section 14 (g) of the Consumer Product Safety Act, 15 U.S.C. § 2063 (g)

## Describe the product covered by this certification in enough detail to match the certificate to each product it covers and no others (item number, PO number, UPC number, and description) Item Number 27576 PO Number 17546 Kit UPC 7 94080 27576 1 Item Descripition Jacquard Frog (45cm) 2011 Item 2 The certificate must identify separately each applicable rule, ban, standard or regulation under the Acts administered by the Commission that is applicable to the product. (HR4040) Lead PASS Other (List) **Small Parts** SHTY110500006886 Other (List) Phthalates **PASS** Other (List) Item 3 Provide the name, full mailing address, and telephone number of the foreign or domestic manufacturer of the product Address (if more than one location in the same city) City & Country Item 4 Provide the name, full mailing address, and telephone number of the US importer, if applicable, of the product. This information may be omitted if the importer chooses to certify separately. Name Novelty Inc. 317-462-3121 Mailing Address 351 W Muskegon Drive, Greenfield IN 46140 USA



351 W Muskegon Drive Greenfield IN 46140 (317) 462-3121

400	÷	0	m	, E

Provide the name, full mailing address, and telephone number of any private labeler certifying the product. This information may be omitted if the private labeler chooses the certify separately

Name	OMITTED			Phone
Mailing Address				
Item 6				
Provide the nam	e, full mailing address, email ac	ddress, and telepho	one number of the person	maintaining test records
in support of the			, , , , , , , , , , , , , , , , , , ,	
Name	Laura Chandler		Full	351 W Muskegon Drive
Email	LChandler@noveltyinc.com	mentuo	Mailing	
Phone	(317) 462-3121	INCOME.	Address	Greenfield IN 46140
different from th the place where	(s) when the product was mand the manufacturer's address in ite the product was finally manufa tame city, provide the street add	em 3, provide at lea acturered or assem	st the city and country or bled. If the manufacture o	administrative region, of
Item 8				
Give the dates of	f the tests or test report(s) on v	vhich certification i	s being based and the loca	tion(s) of the testing.
			<u> </u>	(-)
Test Date(s)	2011-5-20	Test Location(s)	SGS	
Item 9 If a third-party la the name, full ma	boratory tested the product or ailing address and telephone no	conducted a testin	g program on which the co	ertification is based, give
Name	MENDOPPHICAGO DE MACAGO DE COMPANS DE COMPAN	Full	3rd Building, No. 889 Yis	shan Road Xuhui
		Mailing	China 200233	
Phone Number	021-61402666	Address	Shanghai 200233 CHINA	

Confidential 2011-6-1 Page 2



No. SHTY110500006886

Date: MAY 26, 2011

Page 1 of 3

The following samples were submitted and identified on behalf of the client as:

Sample Description

: JACQUARD FROG

Detail of Sample

: POLYESTER FIBER STUFFED PLUSH FROG WITH PLASTIC EYES AND VELCRO

ON HANDS.

Sample Quantity

4 PCS

Style / Item No.

27576

Supplier

CHINA

Country of Origin Country of Destination

USA

Labeled Age Grading

NOT STATED

Requested Age Grading

0+

Age Group Applied in Testing Sample Receiving Date

ALL AGES MAY 20, 2011

Testing Period

MAY 20, 2011 TO MAY 26, 2011

**TESTING REQUESTED:** 

For compliance with the requirement of ASTM F963-08 Standard Consumer Safety Specification on Toy Safety. (As per client's request, exclude Clause 4.3 Toxicology)

**RESULTS** 

Details please refer to next page.

CONCLUSION

The submitted samples comply with the requested test requirements.

Signed for and on behalf of SGS-CSTC Ltd.

Janythoo

Harry Zhao

Supervisor

This document is issued by the Company subject to its General Cerditions of Service printed oversest, available on request or accessible at http://www.sgi.com/leme\_and\_conditions.

htm and for electronic former documents, subject to forms and Conditions for Electronic Documents as www.ege.com/terms electronic former is described in several defends therein. Any holder of bits document is whiseld that information certained hereon reflects the Coregany's below a respectively as to its Cherd are districted does not comercial particular the transcribed developing and inhightions under the transcribed developing and inhightions under the transcribed developing the former does not comercial particular to accessing all their highly and inhightions under the transcribed documents. This document comercial particular does not comercial particular to appear and comercial particular to appear and comercial comercial particular to appear and comercial comercial particular to appear and comercial comercial particular to an observation of the confidence of the comment to unlawful and offenders may be processed to the full-six extent intilling law.

Unless otherwise extend the residence of the confidence of the conf

produced the figure of the standard for the standard control of the production of th 中部:上海:株工区室山路869-43-44 (484) 2002/0 (484) 4867 61823 (0

F 186-21(81412800)

WWW.CO KIN COR A sos checa (bapación



**Test Report** No. SHTY110500006886

Date: MAY 26, 2011

Page 2 of 3

Results:

#### ASTM F963 - 08

AS SPECIFIED IN ASTM F963-08 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY Clause Relevant to Sample.

<u>Clause</u>	Description	Result
4	Safety Requirements	
4.1	Material Quality (Visual Examination)	<u>Pass</u>
4.2	Flammability Test	Pass (See Note 1)
4.3	Toxicology	N/C
4.6	Small Objects	
4.6.1	Small Objects	<u>Pass</u>
4.7	Accessible Edges	Pass
4.9	Accessible Points	<u>Pass</u>
4.27	Stuffed and Beanbag-Type Toys	<u>Pass</u>
5	Safety Labelling Requirements	
5.2	Age Grading Labeling	See remark 1
	(Remark 1: The toy or package should indicate the minimum age for intended use)	
7	Producers Markings	
7.1	Producer's Markings	Pass
8	<u>Test Methods</u>	
8.5	Normal Use Testing	Pass
8.7	Impact Test	Pass
8.8	Torque Test	Pass
8.9	Tension Test	<u>Pass</u>

N/C = Not conducted as per client's request

#### Note 1:

## Flammability Test (Clause 4.2)

Sample Burning Rate (inch/sec) Plush frog

\*Burning rate has been rounded to the nearest one tenth of an inch per second.

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

N.B.: - Only applicable clauses were shown.

N.B.: — Unity applicable clauses were snown.

This document is assued by the Company subject to is General Cenditions at Service printed overlead, available on request or accessible at http://www.ags.com/terms\_end\_pointed

bits and for electronic former documents, subject to Terms and Conditions for Electronic Documents at www.dge consteme, endocument absence is steme to the ismalation of

labelity, interruptions and particularly inside a determined between the company's findings, at the three of

labelity, interruptions and particularly inside of the Company's set in electronic posture of a condition of the Company's findings, at the three of

labelity, interruptions and particular of Clients, measurables, if any. The Company's set in electronic posture and obligations under the invasculars informed to a constitution of the condition of the Company's and other accessing at the order of the Company's and other accessing at the order of the Company's and other accessing at the order of the Company's and other accessing at the order of the Company's accessing at the order of the condition of the content or appearance of the document is unlawful and otherdors may be proceeded to the foliant extent of these tax
Linear attractions are content or any order or any

1 Benghate head And Dented angle Den 200213 1 B6-2161152312 中田・上海・新工区登山路田9中3号度 | 終稿:200233 1 P8-2181152312 中華、上海・特工区別山路線60時3号度 #846(20023) (P627)81(523)3 (P627)81(523)3

£ (55-21(5140259))

www.cn.kgr.com a sign charactorous com




No. SHTY110500006886

Date: MAY 26, 2011

Page 3 of 3

Sample Photo:



SGS authenticate the photo on original report only \*\*\* End of Report \*\*\*

This document is issued by the Company subject to its Garanti Conditions of Senters present overlash, available on request or accessible at http://www.agi.somitams, and conditions ibits and for electronic former documents subject to Terms and Conditions for Electronic Documents at www.agi.comitems e-document absence is crewn to the limitation of list intervestible and particulation issues detired therein. Any holder of fits document is ethical that information contained hereon reducts the Company's families and that information contained hereon reducts the Company's families and its observation of the second does not expended the formation from a proposal particularly and the first Condition from a subject to the Company and the first condition from a subject to the Company and the first condition for the company and the first condition of the company and the first condition of the company and the

T186-2160-402800

Www.co.sqs.com



No. SHATY1107431501

Date: 31 May 2011

Page 1 of 5



The following sample(s) was/were submitted and identified on behalf of the clients as: JACQUARD FROG

SGS Job No.:

SHTY110500006886 - SH

Style No.:

27576

Supplier:

115

Country of Origin:

China

Country of Destination:

**United States** 

Requested Age Grading:

0+

Date of Sample Received :

20 May 2011

Testing Period:

20 May 2011 - 31 May 2011

Test Requested:

As specified by client, selected parts of the submitted sample(s) for compliance with Public Law 110-314 (Consumer Product Safety Improvement Act of 2008,

CPSIA):

- CPSIA section 101(a)(2) - Lead in accessible substrate materials (including

Children's Metal Jewelry)

- CPSIA section 108 - Phthalates

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Result Summary:

Test Parameter	Conclusion
CPSIA section 101(a)(2) - Lead in accessible substrate materials	PASS
(including Children's Metal Jewelry)	
CPSIA section 108 - Phthalates	PASS

This document is issued by the Company subject to as General Genditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions bith and his information format documents subject to Terms and Conditions for Electronic Documents at waw aga completing adocument bith, Alberton is drawn for the Initiative of its properties of the Initiative of its properties of the Initiative of its general formation contained forces reflects the Company's theories are expossablely in the Initiative of the Initiative of its general forces and contained to the Initiative of the Initiative of Initi

日本 T Building Mad River Rest Manual Depart Discourse Class - 19902233 中国・上海・佐江区宮山田868号3号校 - 解版 202233 1E3E 86-29 61402560 1E3E 86-125649696079 HL: 68-21 61402584 HL: 68-2154500350 www.cn.sgs.com • 'washina Graga.com



No. SHATY1107431501

Date: 31 May 2011

Page 2 of 5

Signed for and on behalf of SGS-CSTC Ltd.

Wang Lini, Renee

Approved Signatory

This document is issued by the Company subject to as Ceneral Considers of Service printed overless, available on requestor accessible at http://www.sgs.com/herms\_and\_conditions.

Itability to the interest confidence of the continue of Electronic Decuments as www.sgs.com/herms\_electronics\_Attention is drawn to the intrinsion of liability to the interest of the inte



No. SHATY1107431501

Date: 31 May 2011

Page 3 of 5

Test Results:

#### Test Part Description:

Specimen No.	SGS Sample ID	Description
1	SHA11-074315.001	Melti-colored fabric(body)
2	SHA11-074315.002	Pink fleece(mouth)
3	SHA11-074315.003	Transparent plastic(eye)
4	SHA11-074315.004	Red fleece(mouth)
5	SHA11-074315.005	Red embroidery thread
6	SHA11-074315.006	Blue embroidery thread
7	SHA11-074315.007	White embroidery thread
8	SHA11-074315.008	White velcro

#### Remarks:

- (1) % = percentage by weight
- (2) 1% = 10000ppm ( mg/kg )
- (3) MDL = Method Detection Limit
- (4) ND = Not Detected ( < MDL)

# CPSIA section 101(a)(2) - Lead in accessible substrate materials (including Children's Metal Jewelry)

Test Method: CPSC Test Method: CPSC-CH-E1002-08.1 'Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product'

Test Item(s)	Permissible	<u>Unit</u>	MDL	<u>001</u>	<u>002</u>	<u>003</u>
Lead (Pb) Comment	<u>Limit**</u> 0.03	%	0.002	ND <b>PASS</b>	ND <b>PASS</b>	ND <b>PASS</b>
Test Item(s)	Permissible Limit**	<u>Unit</u>	MDL	<u>004</u>	<u>005</u>	<u>006</u>
Lead (Pb) Comment	0.03	%	0.002	ND <b>PASS</b>	ND <b>PASS</b>	ND <b>PASS</b>
Test Item(s)	Permissible Limit**	<u>Unit</u>	MDL	<u>007</u>	<u>008</u>	
Lead (Pb) Comment	0.03	%	0.002	ND <b>PASS</b>	ND <b>PASS</b>	

<sup>\*\*</sup> The requirements for lead in substrate in children's products is summarized below:

Scope	Doguisomont	TERROLL STORY	
ocope	Requirement	Effective date	
		1	

adocument is issued by the Company subject to Terms and Consisting of Bervios printed overleaf, available on request or accessible at http://www.ags.com/terms\_and\_consistans, each or electronic former occuments, subject to Terms and Consistans or Electronic Documents as www.ags.com/terms\_exportments, Attention is drawn to the implicitant of the implicit of the constant of the implicit of the implicit of the implicit of the constant of the implicit of the constant of the implicit of Clears and Indiagations of the implicit of the implicit of Clears and Indiagations and integrations of the implicit of

一句[61] 「T Balang No NO Yang Road Gard Daniel Sharphal Comp. 200223 15285 86-2061402557 1585 88-2164655579 中国、上海、徐正区宜山麓889年3号楼 郵編、202233 HL186-21]51402594 HL186-21[5450005] \* Na.chou@eys.com



No. SHATY1107431501

Date: 31 May 2011

Page 4 of 5

Lead in accessible	≤ 0.03 %	14 August 2009
substrate	≤ 0.01%	14 August 2011

### CPSIA section 108 - Phthalates

Test Method: With reference to CPSC-CH-C1001-09.3, analysis was performed by GC-MS

Concentration of phthalates in components of toy product

Test Item(s)	<u>Permissible</u>	<u>Unit</u>	<u>MDL</u>	<u>008</u>
	<u>Limit</u>			
Dibutyl Phthalate (DBP)	0.1	%	0.003	ND
Benzylbutyl Phthalate (BBP)	0.1	%	0.003	ND
Bis-(2-ethylhexyl) Phthalate (DEHP)	0.1	%	0.003	ND
Comment				PASS

Concentration of phthalates in components of toy that can be placed in the mouth or childcare article

Test Item(s)	<u>Permissible</u>	<u>Unit</u>	<u>MDL</u>	<u>008</u>
	<u>Limit</u>			
Diisononyl Phthalate (DINP)	0.1	%	0.01	ND
Di-n-octyl Phthalate (DNOP)	0.1	%	0.003	ND
Diisodecyl Phthalate (DIDP)	0.1	%	0.01	ND
Comment				PASS

This document is issued by the Direpony subject to as General Conditions of Service pented overlead, available on request or accessible of high reversing subject to Terms and Conditions for Electronic Documents at www.sps.com/terms enoughers, subject to Terms and Conditions for Electronic Documents at www.sps.com/terms enoughers, Attention or downs to the implication of any first to the implication of any first to the implication of any first the conditions of the document is advantable contained fearer reflects the Company is findings at the time of the processing of the condition of the conditions of the conditions

中国、上海、徐江区贸山路889号3号楼 翻编 200233 HL186-2116140594 HL186-215450053 \* 和AuthoraGraps com




No. SHATY1107431501

Date: 31 May 2011

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

in any for the company autiport to as General Constitution photos overlead, evaluation or request or accessible at http://www.sgs.com/firms\_and\_constitution in everlead three constitutions. The constitution of Electronic Documents at www.sgs.com/firms\_evaluations at them to the limitation of the company and constitution of the constitution of t

Thirding No Mill Visites Read Surville Const. Sharping Const. 2002/23 IEAE RE-2016 1472/53 IEAE RE-2116 4472/53

中国、上海、除江区宜山路889号3号楼 朝稿:202233 HL186-2154-02594 HL186-215400353 参数Advino@aga.com